

according to 1907/2006/EC, Article 31

Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Wood Wax Finish

Article number: 3101-3192

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Coating compound/ Surface coating/ paint

Paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

Importer Importer for UK:

OSMO UK, Smeaton Close

Unit 24 Anglo Business Park Aylesbury, Bucks HP19 8UP

Phone: 01296 481 220, www.osmouk.com

United Kingdom

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 1)

Additional information: EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when

sprayed. Do not breathe spray or mist.

2.3 Other hazards Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:				
	aliphatic hydrocarbons, C10-C13	30–50%		
Reg.nr.: 01-2119457273-39	♦ Asp. Tox. 1, H304, EUH066			
CAS: 13463-67-7	titanium dioxide - aerodynamic dia meter >10 µm	0-40%		
EINECS: 236-675-5				

Additional information: The content of Titanium dioxide varies according to the colour shade.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 μ m.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: No special measures required.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

Rinse with warm water.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: Rinse mouth.

Do NOT induce vomiting.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 2)

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

For safety reasons unsuitable

extinguishing agents:

Water with full jet

5.2 Special hazards arising

from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment: General measures for chemical fires.

Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

6.2 Environmental

precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

system.

Dilute with plenty of water.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Ensure adequate ventilation.

6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Information about fire - and

explosion protection: Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions:7.3 Specific end use(s)Store receptacle in a well ventilated area.No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 5)



Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 4)

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Not necessary if room is well-ventilated.

Hand protection Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Ni

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

As protection from splashes gloves made of the following

materials are suitable:

Nitrile rubber, NBR

Eye/face protection

Goggles recommended during refilling

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: Different according to colouring

Odour: Mild

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range > 180 °C (DIN 51751)

Lower and upper explosion limit

 Lower:
 0.7 Vol %

 Upper:
 6.0 Vol %

(Contd. on page 6)



Revision: 19.08.2021

Printing date 19.08.2021

Version number 5.1 (replaces version 5.0)

Trade name: Wood Wax Finish

(Contd. of page 5)

Flash point: ≥ 61 °C (DIN EN ISO 2719)

Auto-ignition temperature: Product is not selfigniting.

pH Not applicable

Viscosity:

Kinematic viscosity at 20 °C 13 s (DIN EN ISO 2431/6mm)

>21 mm²/s (40°C) (calculated)

Dynamic: Not determined.

Solubility

water: Not miscible or difficult to mix.

Vapour pressure: 3 hPa [20°C]

Density and/or relative density

Density at 20 °C: 0.90 - 1.4 g/cm³ (DIN 51757)

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: 240 °C

Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

Information with regard to physical hazard classes

Explosives

Void

Flammable gases

Void

Aerosols

Void

Oxidising gases

Void

Gases under pressure

Void

Flammable liquids

Void

Flammable solids

Void

(Contd. on page 7)



Revision: 19.08.2021

Printing date 19.08.2021

Trade name: Wood Wax Finish

Version number 5.1 (replaces version 5.0)

		(Contd. of page 6
Self-reactive substances	and mixtures	
	Void	
Pyrophoric liquids	Vold	
	Void	
Pyrophoric solids		
	Void	
Self-heating substances	and mixtures	
	Void	
Substances and mixture		
gases in contact with wa		
Oxidising liquids	Void	
	Void	
Oxidising solids	Void	
	Void	
Organic peroxides		
	Void	
Corrosive to metals		
	Vaid	
	Void	
Desensitised explosives		

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 8)



Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 7)

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

Reacts with acids, alkalis and oxidising agents.

10.4 Conditions to avoid 10.5 Incompatible materials:

No further relevant information available. No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:					
aliphatic	aliphatic hydrocarbons, C10-C13					
Oral	LD50	>5,000 mg/kg (rat)				
Dermal	LD50	>5,000 mg/kg (rat)				
Inhalative	LC50 / 4h	>5 mg/l (rat)				
13463-67-	13463-67-7 titanium dioxide - aerodynamic dia meter >10 μm					
Oral	LD50	>20,000 mg/kg (rat)				
Dermal	LD50	>10,000 mg/kg (rabbit)				

Skin corrosion/irritation At long or repeated contact with skin it may cause dermatitis due to the

degreasing effect of the solvent.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

(Contd. on page 9)



Revision: 19.08.2021

Printing date 19.08.2021 Version number 5.1 (replaces version 5.0)

Trade name: Wood Wax Finish

(Contd. of page 8)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

aliphatic hydrocarbons, C10-C13

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT:
Not applicable.
vPvB:
Not applicable.

12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

(Contd. on page 10)



Printing date 19.08.2021 Version number 5.1 (replaces version 5.0) Revision: 19.08.2021

Trade name: Wood Wax Finish

(Contd. of page 9)

SECTION 14: Tra	ansport information
-----------------	---------------------

14.1 UN number or ID number

ADR, ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Not applicable

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Not applicable

14.4 Packing group

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU
Named dangerous

substances - ANNEX I None of the ingredients is listed.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Reach Annex II (2021)

Relevant phrases H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

(Contd. on page 11)



Revision: 19.08.2021

Printing date 19.08.2021

Version number 5.1 (replaces version 5.0)

Trade name: Wood Wax Finish

(Contd. of page 10)

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS : European chemical Substances Information System

ECHA Portal

Safety data sheets from raw material suppliers

GB